

130 Impact of poverty on the prevalence of diabetes and its complications in urban southern India *A. Ramachandran, C. Snehalatha, V. Vijay, H. King*

136 Vascular effects of glibenclamide vs. glimepiride and metformin in Type 2 diabetic patients *E. J. Abbink, P. Pickkers, A. Jansen van Rosendaal, J. A. Lutterman, C. J. Tack, F. G. M. Russel, P. Smits*

144 Insulin, insulin propeptides and intima-media thickness in the carotid artery in 58-year-old clinically healthy men. The Atherosclerosis and Insulin Resistance study (AIR) *L. Bokemark, J. Wikstrand, H. Wedel, B. Fagerberg*

152 Rheological determinants of red blood cell aggregation in diabetic patients in relation to their metabolic control *K. Elishkevitz, R. Fusman, M. Koffler, I. Shapira, D. Zeltser, D. Avitzour, N. Arber, S. Berliner, R. Rotstein*

157 Blood Glucose Awareness Training in Dutch Type 1 diabetes patients. Short-term evaluation of individual and group training *S. Broers, S. le Cessie, K. P. van Vliet, Ph. Spinthoven, N. C. W. van der Ven, J. K. Radder*

162 Trends in the incidence of childhood diabetes in south Asians and other children in Bradford, UK *R. G. Feltbower, H. J. Bodansky, P. A. McKinney, J. Houghton, C. R. Stephenson, D. Haigh*

Short report

167 Risk of developing diabetes in inversely related to lung function: a population-based cohort study *G. Engström, L. Janzon*

Book review

171 Type 2 Diabetes in Practice *Reviewed by J. Vora*

Letters

172 Glucose-6-phosphate dehydrogenase: a candidate gene for diabetes *I. C. West*

174 Eczema and Type 1 diabetes *I. F. Douek, N. J. Leech, P. J. Bingley, E. A. M. Gale*

176 DM Diary

221 C. V. Howard, S. Walkinshaw, S. Pennycook, O. McKendrick

221 Cystic fibrosis-related diabetes: the role of peripheral insulin resistance and β -cell dysfunction *B. Yung, F. H. Noormohamed, M. Kemp, J. Hooper, A. F. Lant, M. E. Hodson*

227 Clinical characteristics, GAD antibody (GADA) and change of C-peptide in Korean young age of onset diabetic patients *C. W. Ahn, H. S. Kim, J. H. Nam, Y. D. Song, S. K. Lim, K. R. Kim, H. C. Lee, K. B. Hub*

234 Group therapy for binge eating in Type 2 diabetes: a randomized trial *J. Kenardy, M. Mensch, K. Bowen, B. Green, J. Walton*

240 eNOS4 polymorphism of the endothelial nitric oxide synthase predicts risk for severe diabetic retinopathy *M. J. Taverna, A. Sola, C. Guyot-Argenton, N. Pacher, F. Bruzzo, A. Chevalier, G. Slama, G. Reach, J.-L. Selam*

Epidemiology

246 Resource consumption and costs in Dutch patients with Type 2 diabetes mellitus. Results from 29 general practices *W. K. Redekop, M. A. Koopmanschap, G. E. H. M. Rutten, B. H. R. Wolfenbuttel, R. P. Stolk, L. W. Niessen*

Short report

254 Age-related increase in haemoglobin A_{1c} and fasting plasma glucose is accompanied by a decrease in β cell function without change in insulin sensitivity: evidence from a cross-sectional study of hospital personnel *A. P. Yates, I. Laing*

Meeting report

259 19th Anglo-Danish-Dutch Diabetes Group meeting *E. J. P. Koning, T. Visboll, F. Dela*

Book review

260 Diabetes and Cardiovascular Disease *Reviewed by M. Fisher*

Letter

261 Silent hypoglycaemia at the diabetic clinic *A. R. Hennessy, J. D. Walker*

262 DM Diary

Match 2002 Number 3**Review**

177 Gastric emptying in diabetes: clinical significance and treatment *M. Horowitz, D. O'Donovan, K. L. Jones, C. Feinle, C. K. Rayner, M. Samson*

Original articles

195 Assessing diabetic control—reliability of methods available in resource poor settings *A. P. Rotchford, K. M. Rotchford, T. Machattie, G. V. Gill*

201 Design of the Collaborative AtoRvastatin Diabetes Study (CARDS) in patients with Type 2 diabetes *H. M. Colhoun, M. J. Thomason, M. I. Mackness, S. M. Maton, D. J. Betteridge, P. N. Durrington, G. A. Hitman, H. A. W. Neil, J. H. Fuller and the CARDS investigators*

212 Paraoxonase gene cluster is a genetic marker for early microvascular complications in Type 1 diabetes *Y. Kao, K. C. Donaghue, A. Chan, B. H. Bennetts, J. Knight, M. Silink*

216 St Vincent's Declaration 10 years on: outcomes of diabetic pregnancies *M. J. Platt, M. Stanisstreet, I. F. Casson,*

April 2002 Number 4**Editorial**

263 Mistaken priorities in diabetes research *S. Heller*

Review

265 Psychological counselling in problematic diabetes: does it help? *F. J. Snoek, T. C. Skinner*

Personal review

274 A chaotic model for tight diabetes control *T. A. Holt*

Original articles

279 Adherence to prescribed oral hypoglycaemic medication in a population of patients with Type 2 diabetes: a retrospective cohort study *P. T. Donnan, T. M. MacDonald, A. D. Morris*

285 Quality assurance in screening for sight-threatening diabetic retinopathy *R. J. Pandit, R. Taylor*

292 Diagnosis of diabetes mellitus and intermediate glucose abnormalities in obese patients based on ADA (1997) and WHO (1985) criteria *J.-L. Richard, A. Sultan, J.-P. Daures, D. Vannereau, C. Parer-Richard*

300 Influence of lipoprotein(a) on restenosis after femoropopliteal percutaneous transluminal angioplasty in Type 2 diabetic patients *T. H. Maca, R. Ahmadi, K. Derfler, H. Ehringer, M. E. Gschwandtner, W. H. Hörl, R. Katzenbach, E. Müller-Knispel, R. Koppensteiner, B. Schneider, A. Stümpflen, A. Ugurluoglu, E. Minar*

307 Evaluation of a new screening method for detecting peripheral arterial disease in a primary health care population of patients with diabetes mellitus *K. E. A. Johansson, B. R. G. Marklund, J. H. R. Fowelin*

311 Neuropsychological functioning in older people with Type 2 diabetes: the effect of controlling for confounding factors *K. G. Asimakopoulou, S. E. Hampson, N. J. Morris*

317 Post-prandial glucose excursions following four methods of bolus insulin administration in subjects with Type 1 diabetes *H. P. Chase, S. Z. Saib, T. MacKenzie, M. M. Hansen, S. K. Garg*

322 Congenital anomalies in the offspring of women with Type 1, Type 2 and gestational diabetes *T. Farrell, L. Neale, T. Cundy*

Special report

327 Association of British Clinical Diabetologists (ABCD) survey of secondary care services for diabetes in the UK, 2000. 1. Methods and major findings *P. H. Winocour, A. Ainsworth, R. Williams*

Short report

334 Is coeliac disease more prevalent in young adults with coexisting Type 1 diabetes mellitus and autoimmune thyroid disease compared with those with Type 1 diabetes mellitus alone? *J. S. W. Li Voon Chong, K. S. Leong, M. Wallymehmed, R. Sturgess, I. A. MacFarlane*

Case report

338 Charcot neuroarthropathy of the knee in Type 1 diabetes: treatment with total knee arthroplasty *A. P. Lambert, C. F. Close*

Book review

342 The Diabetes Annual 13 Reviewed by *G. Gill*

Poem

343 'Paint me a Hypo' *R. Besser*

Letters

344 Height and gestational diabetes mellitus *Á. Gy. Tabák, Zs. Kerényi, E. Nagy, Zs. Bosnyák, E. Madarász, Gy. Tamás*

345 Handling of blood samples for diagnosis of diabetes mellitus *L. Ödum, K. Kynde*

346 The threshold value for insulin resistance on homeostasis model assessment of insulin sensitivity *Y. Nakai, M. Fukushima, S. Nakaishi, H. Kishimoto, Y. Seino, S. Nagasaka, M. Sakai, A. Taniguchi*

347 Pioglitazone-induced hepatic injury in a patient previously receiving troglitazone with success *S. Nagasaka, T. Abe, A. Kawakami, I. Kusaka, T. Nakamura, S. Ishikawa, T. Saito, S. Ishibashi*

349 DM Diary

May 2002 Number 5

Review

351 Screening for gestational diabetes; past, present and future *F. W. F. Hanna, J. R. Peters*

Original articles

359 Characteristic patterns of circadian variation in plasma catecholamine levels, blood pressure and heart rate variability in Type 2 diabetic patients *K. Kondo, T. Matsubara, J. Nakamura, N. Hotta*

366 Angiographic distribution of lower extremity atherosclerosis in patients with and without diabetes *C. van der Feen, F. S. Neijens, S. D. J. M. Kanters, W. P. Th. M. Mali, R. P. Stolk, J. D. Banga*

371 Intercellular adhesion molecule-1 (ICAM-1) polymorphism is associated with diabetic retinopathy in Type 2 diabetes mellitus *K. Kamiuchi, G. Hasegawa, H. Obayashi, A. Kitamura, M. Ishii, M. Yano, T. Kanatsuna, T. Yoshikawa, N. Nakamura*

377 The North-West Diabetes Foot Care Study: incidence of, and risk factors for, new diabetic foot ulceration in a community-based patient cohort *C. A. Abbott, A. L. Carrington, H. Ashe, S. Bath, L. C. Every, J. Griffiths, A. W. Hann, A. Hussein, N. Jackson, K. E. Johnson, C. H. Ryder, R. Torkington, E. R. E. Van Ross, A. M. Whalley, P. Widdowson, S. Williamson, A. J. M. Boulton*

385 Teaching patients to monitor their risk factors retards the progression of vascular complications in high-risk patients with Type 2 diabetes mellitus—a randomized prospective study *R. Rachmani, Z. Levi, I. Slavachevski, M. Avin, M. Ravid*

393 Premixed insulin aspart 30 vs. premixed human insulin 30/70 twice daily: a randomized trial in Type 1 and Type 2 diabetic patients *B. O. Boehm, P. D. Home, C. Behrend, N. M. Kamp, A. Lindholm*

400 A comparison of the Neuropen against standard quantitative sensory-threshold measures for assessing peripheral nerve function *A. N. Paisley, C. A. Abbott, C. H. M. van Schie, A. J. M. Boulton*

406 Screening for Type 2 diabetes: an exploration of subjects' perceptions regarding diagnosis and procedure *M. C. Adriaanse, F. J. Snoek, J. M. Dekker, H. M. van der Ploeg, R. J. Heine*

412 In-patient management of diabetes mellitus and patient satisfaction *A. Bhattacharyya, C. Christodoulides, K. Kaushal, J. P. New, R. J. Young*

417 Body composition in adults with Type 1 diabetes at onset and during the first year of insulin therapy *A. M. Rosenfalck, T. Almdal, J. Hilsted, S. Madsbad*

Short report

424 Rates of cholesterol esterification and esterified cholesterol net mass transfer between high-density lipoproteins and apolipoprotein B-containing lipoproteins in Type 1 diabetes *J. Valabhji, J. Donovan, A. J. McColl, M. Schachter, W. Richmond, R. S. Elkeles*

Letters

429 Standardization of glycated haemoglobin *S. M. Marshall, P. D. Home, S. E. Manley, J. H. Barth, W. G. John*

429 Does HLA genotype influence the relative risk of Type 1 diabetes conferred by dietary factors? *L. C. Stene, K. S. Ronninen, P. Magnus, G. Joner*

432 The importance of diabetes health education in developing countries C. E. Ezenwaka, N. V. Offiah, R. Kalloo, G. Davis

434 DM Diary

June 2002 Number 6

Review

435 Insulin-treated diabetes and driving in the UK G. Gill, J. Durston, R. Johnson, K. MacLeod, P. Watkins

Original articles

440 Transforming growth factor-beta 1, 2, 3 and receptor type I and II in diabetic foot ulcers E. B. Jude, R. Blakely, J. Bulmer, A. J. M. Boulton, M. W. J. Ferguson

448 Prognosis following first acute myocardial infarction in Type 2 diabetes: a comparative population study P. T. Donnan, D. I. R. Boyle, J. Broomhall, K. Hunter, T. M. MacDonald, R. W. Newton, A. D. Morris

456 Serum fatty acid composition predicts development of impaired fasting glycaemia and diabetes in middle-aged men D. E. Laaksonen, T. A. Lakka, H.-M. Lakka, K. Nyysönen, T. Rissanen, L. K. Niskanen, J. T. Salonen

465 Coefficient of failure: a methodology for examining longitudinal β -cell function in Type 2 diabetes T. M. Wallace, D. R. Matthews

470 Insulin resistance in non-diabetic subjects is associated with increased incidence of myocardial infarction and death B. Hedblad, P. Nilsson, G. Engström, L. Janzon

476 Impaired vascular reactivity is present despite normal levels of von Willebrand factor in patients with uncomplicated Type 2 diabetes N. Ihleemann, K. H. Stokholm, P. C. Eskildsen

482 Hypertensive disorders of pregnancy in women with Type 1 and Type 2 diabetes T. Cundy, F. Slee, G. Gamble, L. Neale

490 No evidence for accumulation of insulin glargin (LANTUS®): a multiple injection study in patients with Type 1 diabetes T. Heise, S. Bott, K. Rave, A. Dressler, R. Rosskamp, L. Heinemann

496 Continuous intraperitoneal insulin infusion in patients with 'brittle' diabetes: favourable effects on glycaemic control and hospital stay J. H. DeVries, S. A. Eskes, F. J. Snoek, F. Pouwer, E. van Ballegooie, A. J. Spijker, P. J. Kostense, M. Seubert, R. J. Heine

Epidemiology

502 Glucose intolerance and associated factors in Mongolia: results of a national survey J. Suvd, B. Gerel, H. Ogtgooloi, D. Purevsuren, H. Zolzaya, G. Roglic, H. King

Short reports

509 Diabetes care in Kilimanjaro region: clinical presentation and problems of patients of the diabetes clinic at the regional referral hospital—an inventory before structured intervention H. F. Neuhann, C. Warter-Neuhann, I. Lyaruu, L. Msuya

514 Reproducibility of individualized coronary heart disease risk calculations in patients with diabetes mellitus A. P. Lambert, M. A. Hunt, A. P. Day, G. R. Bayly, C. M. Dayan

518 Predictivity of thyroid autoantibodies for the development of thyroid disorders in children and adolescents with Type 1 diabetes O. Kordonouri, D. Deiss, T. Danne, A. Dorow, C. Bassir, A. Grütters-Kieslich

522 Further evidence for the rising incidence of childhood Type 1 diabetes in Kuwait A. A. Shaltout, M. A. A. Moussa, M. Qabazard, N. Abdella, M. Karvonen, M. Al-Khawari, M. Al-Arouj, A. Al-Nakbi, J. Tuomilehto, A. El-Gammal, Kuwait Diabetes Study Group

526 DM Diary

July 2002 Number 7

Review

527 The assessment of insulin resistance in man T. M. Wallace, D. R. Matthews

Original articles

535 Predictors of insulin sensitivity in Type 2 diabetes mellitus E. Bonora, G. Targher, M. Alberiche, G. Formentini, F. Calcaterra, S. Lombardi, F. Marini, M. Poli, L. Zenari, A. Raffaelli, S. Perbellini, M. B. Zenere, F. Saggiani, R. C. Bonadonna, M. Muggeo

543 Serum fructosamine as a marker of 5-year risk of developing diabetes mellitus in patients exhibiting stress hyperglycaemia S. T. Wabid, J. Sultan, G. Handley, B. O. Saeed, J. U. Weaver, A. C. J. Robinson

549 Cardiovascular risk profile assessment in glucose-intolerant Asian individuals—an evaluation of the World Health Organization two-step strategy: The DECODA Study (Diabetes Epidemiology: Collaborative Analysis of Diagnostic Criteria in Asia) *The DECODA Study Group*

558 Age, body mass index and glucose tolerance in 11 European population-based surveys *The DECODE Study Group*

566 Diminution of early insulin response to glucose in subjects with normal but minimally elevated fasting plasma glucose. Evidence for early β -cell dysfunction Y. Sato, M. Komatsu, M. Katakura, H. Ohfusa, S. Yamada, K. Yamauchi, K. Hiramatsu, K. Ichikawa, T. Aizawa, K. Hashizume

572 Combination of insulin and thiazolidinedione therapy in massively obese patients with Type 2 diabetes H. N. Buch, V. Baskar, D. M. Barton, D. Kamalakannan, C. Akarca, B. M. Singh

575 Clinical outcome of diabetes patients hospitalized with foot ulcers, Dar es Salaam, Tanzania Z. G. Gulam-Abbas, J. K. Lutale, S. Morbach, L. K. Archibald

580 Physical activity and cause-specific mortality in men with Type 2 diabetes/impaired glucose tolerance: evidence from the Whitehall study G. D. Batty, M. J. Shipley, M. Marmot, G. Davey Smith

589 Congenital anomalies and first life year surveillance in Type 1 diabetic births M. Vääräsmäki, M. Gissler, A. Ritvanen, A.-L. Hartikainen

594 European comparison of costs and quality in the prevention of secondary complications in Type 2 diabetes mellitus (2000–2001) A. Gajdjour, F. Kleinschmit, K. W. Lauterbach, INTERCARE International Investigators

Short reports

602 Retinopathy in latent autoimmune diabetes of adults: the Fremantle Diabetes Study *M. Balme, I. McAllister, W. A. Davis, T. M. E. Davis*

606 Changes in treatment after the start of oral hypoglycaemic therapy in Type 2 diabetes: a population-based study *P. T. Donnan, D. T. Steinke, R. W. Newton, A. D. Morris*

Case report

611 Intussusception in an adult patient with severe hyperglycaemia—a case report *S. I. McFarlane, K. Byrne, J. Shin, R. Williams*

Letter

615 Survey of pre-conception counselling *S. Rao, S. W. Lindow, E. A. Masson*

616 DM Diary

August 2002 Number 8**Editorial**

617 Diabetes and driving *P. Mansell*

Review

619 Neuropeptides and appetite control *J. P. H. Wilding*

Original articles

628 Continuous subcutaneous insulin infusion (CSII) in the Veneto region: efficacy, acceptability and quality of life *D. Bruttomesso, A. Pianta, D. Cazzolara, E. Scaldaferrari, L. Lora, G. Guarneri, A. Mongillo, R. Gennaro, M. Miola, M. Moretti, L. Confortin, G. P. Beltramello, M. Pais, A. Baritussio, E. Casiglia, A. Tiengo*

635 Family conflict, adherence, and glycaemic control in youth with short duration Type 1 diabetes *B. J. Anderson, L. Vangness, A. Connell, D. Butler, A. Goebel-Fabbri, L. M. B. Laffel*

643 A randomized control trial of the effect of negotiated telephone support on glycaemic control in young people with Type 1 diabetes *L. Howells, A. C. Wilson, T. C. Skinner, R. Newton, A. D. Morris, S. A. Greene*

649 Current methods of transfer of young people with Type 1 diabetes to adult services *S. Kipps, T. Babu, K. Ong, F. M. Ackland, R. S. Brown, C. T. Fox, N. K. Griffin, A. H. Knight, N. P. Mann, H. A. W. Neil, H. Simpson, J. A. Edge, D. B. Dunger*

655 Nitric oxide and vascular endothelial growth factor concentrations are increased but not related in vitreous fluid of patients with proliferative diabetic retinopathy *C. Hernández, A. Lecube, R. M. Segura, L. Saracols, R. Simó*

661 Comparison of vibration perception thresholds obtained with the Neurothesiometer and the CASE IV and relationship to nerve conduction studies *V. Bril, B. A. Perkins*

667 Space-time clustering of childhood Type 1 diabetes in Devon and Cornwall, England *H. X. Zhao, R. A. Moyeed, E. A. Stenhouse, A. G. Demaine, B. A. Millward*

673 Improved glycaemic control with metformin-glibenclamide combined tablet therapy (Glucovance®) in Type 2 diabetic patients inadequately controlled on metformin *M. Marre, H. Howlett, P. Lebret, T. Allavoine*

Short reports

681 The prevalence of the mitochondrial DNA 16189 variant in non-diabetic Korean adults and its association with higher fasting glucose and body mass index *J. H. Kim, K. S. Park, Y. M. Cho, B. S. Kang, S. K. Kim, H. J. Jeon, S. Y. Kim, H. K. Lee*

685 Adherence to oral hypoglycaemic agents prior to insulin therapy in Type 2 diabetes *J. M. M. Evans, P. T. Donnan, A. D. Morris*

689 A family history of Type 2 diabetes is associated with increased plasma levels of C-reactive protein in non-smoking healthy adult women *N. Pannacciulli, G. De Pergola, F. Giorgino, R. Giorgino*

693 Blood glucose overestimation in diabetic patients on continuous ambulatory peritoneal dialysis for end-stage renal disease *S. O. Oyibo, G. M. Pritchard, L. McLay, E. James, I. Laing, R. Gokal, A. J. M. Boulton*

Letters

697 Reduced prevalence of late-diabetic complications in MODY3 with early diagnosis *J. V. Sagen, P. R. Njolstad, O. Sovik*

698 Blood glucose measurement in acute medicine: inadequate detection and management *A.-R. Hennessy, R. M. Reynolds, J. D. Walker*

699 A case of euglycaemic ketoacidosis in pregnancy—a reply *D. Deepak, D. Ingham, R. M. Reynolds, J. D. Walker*

700 Poor glycaemic control in female Type 1 adolescents—the ‘fragile female diabetic’ revisited? *G. Gill*

700 Author’s reply *K. Tyllskär, T. Tuvelmo, J. Gustafsson*

701 Feasibility and usefulness of dedicated software and e-mail for self-monitoring blood glucose in treating diabetes *L. Perlemer, B. Yomtov*

702 Improving outcomes for young people with diabetes *H. Dorcy*

703 The lost tribes in diabetes *D. Kerr, H. Nicholls, D. A. Cavan*

Book reviews

704 Lipids and Vascular Disease Current Issues *Reviewed by A. Scott*

704 Diabetic Nephropathy *Reviewed by M. Wilkie*

706 DM Diary

September 2002 Number 9**Editorial**

707 IGT and IFG. Time for revision? *K. Borch-Johnsen*

Special report

708 International Diabetes Federation IGT/IFG Consensus Statement. Report of an Expert Consensus Workshop 1–4 August 2001, Stoke Poges, UK *N. Unwin, J. Shaw, P. Zimmet, G. Alberti*

Review

724 Insulin: in search of a syndrome *E. Ferrannini, B. Balkau*

Original articles

730 Antibodies to GAD in Japanese patients classified as Type 2 diabetes at diagnosis. High titre of GAD Ab is a predictive

marker for early insulin treatment—report of west Japan (Kyushu, Yamaguchi, Osaka) study for GAD Ab(+) diabetes *H. Takino, H. Yamasaki, N. Abiru, Y. Sera, T. Abe, E. Kawasaki, Y. Yamaguchi, K. Eguchi, Y. Kanazawa, S. Nagataki*

735 Surrogate estimates of insulin sensitivity in Chinese diabetic patients and their offspring *C. S. Kuo, C. M. Hwu, C. F. Kwok, L. C. Hsiao, M. J. Weih, S. H. Lee, Y. S. Lee, L. T. Ho*

741 Evaluation of a district-wide screening programme for diabetic retinopathy utilizing trained optometrists using slit-lamp and Volk lenses *S. A. Hulme, A. Tin-U, K. J. Hardy, P. W. Joyce*

746 Less severe hypoglycaemia, better metabolic control, and improved quality of life in Type 1 diabetes mellitus with continuous subcutaneous insulin infusion (CSII) therapy; an observational study of 100 consecutive patients followed for a mean of 2 years *R. Linkeschova, M. Raoul, U. Bott, M. Berger, M. Spraul*

752 Gliclazide improves anti-oxidant status and nitric oxide-mediated vasodilation in Type 2 diabetes *D. Fava, M. Cassone-Falsetta, O. Laurenti, O. De Luca, A. Ghiselli, G. De Mattia*

758 Heterogeneity in young adult onset diabetes: aetiology alters clinical characteristics *K. R. Owen, M. Shepherd, A. Stride, S. Ellard, A. T. Hattersley*

762 The evaluation of screening policies for diabetic retinopathy using simulation *M. Davies, P. Roderick, C. Canning, S. Brailsford*

771 Longitudinal assessment of the developments of diabetic polyneuropathy and associated risk factors *L. V. van de Poll-Franse, G. D. Valk, C. M. Renders, R. J. Heine, J. T. M. van Eijk*

777 Diabetic ketosis activates lymphomonocyte-inducible nitric oxide synthase *E. Iori, L. Calò, D. Valbusa, G. Ceolotto, M. Milani, V. Pengo, S. V. de Kreutzenberg, A. Tiengo, A. Avogaro*

Case report

784 Age of onset possibly associated with the degree of heteroplasmy in two male siblings with diabetes mellitus having an A to G transition at 3243 of mitochondrial DNA *Y. Kato, Y. Miura, A. Inagaki, T. Itatsu, Y. Oiso*

Short report

787 Ambulatory blood pressure monitoring: is it necessary for the routine assessment of hypertension in people with diabetes *M. W. J. Strachan, K. Gough, J. A. McKnight, P. L. Padfield*

Letters

790 Anti-diabetogenic effect of the human amylin analogue, pramlintide, in Type 1 diabetes is not mediated by GLP-1 *B. Ahrén, N. Adner, J. Svartberg, E. Petrella, J. J. Holst, M. K. Gutniak*

792 Type 2 diabetes with onset in the elderly is not a benign disease *S. Bo, P. Cavallo-Perin, L. Gentile, E. Repetti, G. Pagano*

794 A case of congenital generalized lipodystrophy with lipotrophic diabetes developing anti-insulin antibodies *H. Usui, K. Shikata, J. Wada, T. Sugimoto, J. Yamana, T. Oishi, M. Matsuda, M. Yoneda, I. Koshima, H. Makino*

795 The Houssay phenomenon, another clue to Sheehan's syndrome in a diabetic *M. Hadithi, A. Toorians, R. Heine*

796 The [C282Y/wt] heterozygous HFE genotype is associated with lower blood pressure and HDL-cholesterol in Type 2 diabetes *M. P. Hermans, S. Van Leberghe, M. Buysschaert*

797 Errata

798 DM Diary

October 2002 Number 10

Review

799 Is multidisciplinary learning effective among those caring for people with diabetes? *N. Munro, A. Felton, C. McIntosh*

Original articles

804 Genetic variants of insulin receptor substrate-1 (IRS-1) in syndromes of severe insulin resistance. Functional analysis of Ala513Pro and Gly1158Glu IRS-1 *D. Berger, I. Barroso, M. Soos, G. Yeo, A. J. Schafer, S. O'Rahilly, J. P. Whitehead*

810 Perceptions of diabetic retinopathy and screening procedures among diabetic people *M. Trento, M. Bajardi, E. Borgo, P. Passera, M. Maurino, R. Gibbins, D. R. Owens, F. Cavallo, M. Porta*

814 A time-limited, problem-orientated psychotherapeutic intervention in Type 1 diabetic patients with complications: a randomized controlled trial *U. Didurigeit, J. Kruse, N. Schmitz, P. Stückensneider, P. T. Sawicki*

822 Comparison of serum concentrations of soluble adhesion molecules in diabetic microangiopathy and macroangiopathy *K. Matsumoto, Y. Sera, Y. Ueki, G. Inukai, E. Niitro, S. Miyake*

827 Subclinical pain and thermal sensory dysfunction in children and adolescents with Type 1 diabetes mellitus *F. Abad, N. M. Díaz-Gómez, I. Rodríguez, R. Pérez, J. A. Delgado*

832 Metabolic and immunogenetic prediction of long-term insulin remission in African patients with atypical diabetes *E. Sobngwi, P. Vexiau, V. Levy, V. Lepage, F. Mauvais-Jarvis, H. Leblanc, J. C. Mbanya, J. F. Gautier*

836 Multifaceted support to improve clinical decision making in diabetes care: a randomized controlled trial in general practice *B. D. Frijling, C. M. Lobo, M. E. J. L. Hulscher, R. P. Akkermans, J. C. C. Braspenning, A. Prins, J. C. van der Wouden, R. P. T. M. Grol*

843 Affluence is not related to delay in diagnosis of Type 2 diabetes as judged by the development of diabetic retinopathy *A. S. Litwin, A. Clover, P. R. Hodgkins, A. J. Luff*

847 Effect of hormone replacement therapy on inflammation-sensitive proteins in post-menopausal women with Type 2 diabetes *P. J. Manning, W. H. F. Sutherland, A. R. Allum, S. A. de Jong, S. D. Jones*

853 Comparison of ADA and WHO criteria for the diagnosis of diabetes in elderly Koreans *K. M. Choi, J. Lee, D. R. Kim, S. K. Kim, D. H. Shin, N. H. Kim, I. B. Park, D. S. Choi, S. H. Baik*

858 Type 2 diabetes, obesity, and the renal response to blocking the renin system with irbesartan *D. A. Price, M. C. Lansang, S. Y. Osei, N. D. L. Fisher, L. M. B. Laffel, N. K. Hollenberg*

862 Platelet contractile force (PCF) and clot elastic modulus (CEM) are elevated in diabetic patients with chest pain *M. E. Carr, A. Krishnaswami, E. J. Martin*

Short reports

867 Does direct ophthalmoscopy improve retinal screening for diabetic eye disease by retinal photography? *G. P. Leese, J. D. Ellis, A. D. Morris, A. Ellingford*

870 The relationship between blood glucose excursions and painful diabetic peripheral neuropathy: a pilot study *S. O. Oyibo, Y. D. M. Prasad, N. J. Jackson, E. B. Jude, A. J. M. Boulton*

Epidemiology

874 No increase in the prevalence of known diabetes between 1986 and 1999 in subjects 25–64 years of age in northern Sweden *M. Eliasson, B. Lindahl, V. Lundberg, B. Stegmayer*

Letters

881 Examination of insulin injection sites: an unexpected finding of localized amyloidosis *B. Swift, P. N. Hawkins, C. Richards, R. Gregory*

882 Currently identified genes affecting insulin resistance are not associated with birth weight in the Pima population *R. S. Lindsay, M. Prochazka, L. J. Baier, W. C. Knowler, C. Bogardus, R. L. Hanson*

884 Necrobiosis lipoidica in Prader–Willi-associated diabetes mellitus *J. D. Walker, R. E. Warren*

885 Marked hyperphosphataemia in a patient with diabetic ketoacidosis *E. Liberopoulos, D. Christidis, M. Elisaf*

886 Exercise consultation in diabetes *S. Bellary*

887 DM Diary

November 2002 Number 11

Review

889 The impact of atherosclerotic renovascular disease on diabetic renal failure *A. J. Nicholls*

Original articles

895 The epidemiology of diabetic limb sepsis: an African perspective *Z. G. Abbas, G. V. Gill, L. K. Archibald*

900 Autonomic neuropathy is associated with increased cardiovascular risk factors: the EURODIAB IDDM Complications Study *P. Kempler, S. Tesfaye, N. Chaturvedi, L. K. Stevens, D. J. Webb, S. Eaton, Zs. Kerényi, Gy. Tamás, J. D. Ward, J. H. Fuller*

910 Familial clustering of diabetic retinopathy in South Indian Type 2 diabetic patients *M. Rema, G. Saravanan, R. Deepa, V. Mohan*

917 Basal-bolus insulin therapy in Type 1 diabetes: comparative study of pre-meal administration of a fixed mixture of insulin lispro (50%) and neutral protamine lispro (50%) with human soluble insulin *M. Herz, V. Arora, B. Sun, S. C. Ferguson, G. B. Bolli, B. M. Frier*

924 Prevalence of retinopathy differs with age at onset of diabetes in a population of patients with Type 1 diabetes *C. E. Kullberg, M. Abrahamsson, H. J. Arnqvist, K. Finnström, J. Ludvigsson*

932 Cardiovascular autonomic reactivity is decreased in adolescents with Type 1 diabetes *P. H. Riihimäki, K. Suominen, M. Knip, P. Tapanainen, U. Tolonen*

939 C-reactive protein is more strongly related to post-glucose load glucose than to fasting glucose in non-diabetic subjects; the Insulin Resistance Atherosclerosis Study *A. Festa, R. D'Agostino Jr, R. P. Tracy, S. M. Haffner*

944 Acute effect of orlistat on post-prandial lipaemia and free fatty acids in overweight patients with Type 2 diabetes mellitus *K. C. B. Tan, A. W. K. Tso, S. C. F. Tam, R. W. C. Pang, K. S. L. Lam*

949 Tumour necrosis factor-alpha plasma levels in elderly patients with Type 2 diabetes mellitus—observations over 2 years *M. Lechleitner, M. Herold, C. Dzien-Bischinger, F. Hoppichler, A. Dzien*

Epidemiology

954 Increasing prevalence of diabetes mellitus in Oman *J. A. Al-Lawati, A. M. Al Riyami, A. J. Mohammed, P. Jousilahti*

Short Reports

958 The oral glucose tolerance test reveals a high frequency of both impaired glucose tolerance and undiagnosed Type 2 diabetes mellitus in primary hyperparathyroidism *M. Procopio, G. Magro, F. Cesario, A. Piovesan, A. Pia, N. Molineri, G. Borretta*

962 Symptom scoring systems to diagnose distal polyneuropathy in diabetes: the Diabetic Neuropathy Symptom score *J. W. G. Meijer, A. J. Smit, E. V. Sonderen, J. W. Grootenhuis, W. H. Eisma, T. P. Links*

Letters

966 Sulphonylurea-induced hypoglycaemia in institutionalized elderly in Hong Kong *W. Y. So, J. C. N. Chan, V. T. F. Yeung, C. C. Chow, G. T. C. Ko, J. K. Y. Li, C. S. Cockram*

968 Detection of enterovirus RNA sequences in serum samples from autoantibody-positive subjects at risk for diabetes *R. Coutant, P. Palmer, J. C. Carel, L. Cantero-Aguilar, P. Lebon, P. F. Bougnères*

969 The presence of a common mitochondrial DNA variant is associated with fasting insulin levels in Europeans in Auckland *J. Poultney, A. L. Bednarz, M. Scott-Brown, C. Thompson, V. A. Macaulay, D. Simmons*

972 DM Diary

December 2002 Number 12

Review

973 Differing aspects of insulin resistance in diabetes complications: the shape of things to come. RD Lawrence lecture 2000 *N. Chaturvedi*

Original articles

978 The status of diabetes control in Asia—a cross-sectional survey of 24 317 patients with diabetes mellitus in 1998 *L.-M. Chuang, S. T. Tsai, B. Y. Huang, T. Y. Tai*

986 Pertussis infection in childhood and subsequent Type 1 diabetes mellitus *S. M. Montgomery, A. G. C. Ehlin, A. Ekbom, A. J. Wakefield*

994 Heritability of features of the insulin resistance syndrome in a community-based study of healthy families *M. S. Freeman, M. W. Mansfield, J. H. Barrett, P. J. Grant*

1000 Interleukin-6 polymorphism (-634C/G) in the promotor region and the progression of diabetic nephropathy in Type 2 diabetes *A. Kitamura, G. Hasegawa, H. Obayashi, K. Kamiuchi, M. Ishii, M. Yano, T. Tanaka, M. Yamaguchi, H. Shigeta, M. Ogata, N. Nakamura, T. Yoshikawa*

1006 Preventing glycaemic excursions in diabetic patients requiring percutaneous endoscopic gastrostomy (PEG) feeding after a stroke *D. Kerr, P. Hamilton, D. A. Cavan*

1009 Ultrasonography of plantar soft tissues thickness in young people with diabetes *A. C. Duffin, A. Lam, R. Kidd, A. K. F. Chan, K. C. Donaghue*

1014 Prevalence of diabetic eye disease in patients entering a systematic primary care-based eye screening programme *N. Younis, D. M. Broadbent, S. P. Harding, J. P. Vora*

Case report

1022 Post-mortem findings in familial partial lipodystrophy, Dunnigan variety *W. A. Haque, F. Vuitch, A. Garg*

Short report

1026 Efficacy of Humalog® injections before an afternoon meal and their acceptance by children and adolescents

with Type 1 diabetes *D. Martin, G. Lichba-Müntz, E. Grasset, M. O. Grenèche, D. Nouet, L. François, C. Legrand, M. Polak, B. Augendre-Ferrante, N. Tubiana-Rufi, J. J. Robert*

Letters

1032 Microbiological profile of infected diabetic foot ulcers *Y. Ge, D. MacDonald, H. Hait, B. Lipsky, M. Zasloff, K. Holroyd*

1034 Continuous internet-based activity monitoring provides a surrogate marker for nocturnal polyuria in persons with diabetes mellitus at high risk for foot ulceration *D. G. Armstrong, A. J. M. Boulton*

1035 Alternative medicine recommendations to patients with Type 2 diabetes visiting health product shops and pharmacies *K. J. Petrie, T. Cundy*

1036 DM Diary

1037 List of reviewers 2002

1040 Indexes